

Attention Justice Catherine Holmes  
Qld Floods Commission of Inquiry.  
P.O. Box 1738  
Brisbane, Qld. 4001.

14th February, 2011



Dear Justice Holmes,

Re: My Submission in Regards to Flood Inquiry.

Please excuse my hand written submission and enclosures, as I do not have a computer to lodge same with you.

As you can see by my address, I live at Grindale and have done so since 1971.

Consequently, we were here when we had the 1974 flood which came about from a couple of cyclones coming down the coast combined with high tides at the time.

Out of that situation, it was decided to build the Riverine Dam to hold back the water upstream so as Ipswich and Brisbane wouldn't experience another flood like it.

Now, as you are aware, after all those years of being flood-free, many towns and cities were affected. In this area I feel, it has mainly been attributed to the irresponsible mass water release from Riverine of having all gates wide open with the extremely high tides at the time and tragic circumstances from Toowoomba of all places.

In 1974 we had eighteen inches under our home but thankfully this time, it stopped a couple of meters from coming under the home. My prayers were answered.

Just the same, I took all the precautions and thought what I could by myself upstairs, filling

cont'd. 3  
The lounge, dining area, three bedrooms, hallway, kitchen and out the back with what ever would fit and making sure anything else was higher, if possible than the eighteen inches from 1974 flood mark.

Even though a cousin and her husband, and a daughter and her husband and family have assisted to take things back downstairs, I still have a lot of sorting out to do. But thankfully, I still have a home that the Lord protected.

The Lord also protected my daughter's home at Westlake and her husband's brother's place also here at Findalbee and only two streets from the river. But we were all exhausted from moving. I didn't get to bed until 1 am, on the Wednesday morning of the 6th/7th of January, 2011, having noticed the extreme height of the Findalbee Creek which runs into the Brisbane River, near the Gregory Bridge which crosses the River here at Findalbee.

I also had to move a couple of cars to higher ground as my instinct suspected water could be in the street by Wednesday morning. This was the case and again, thankfully I got the cars out in time.

I believe this whole situation could have been avoided by not having such a random release of such magnitude of having all gates open with such extreme surges and high tides and I also believe to avoid such wastage of such a precious commodity as water, the Government should have lifted all restrictions with no charges applying, so app.t.o

contd'

3.

people do not feel guilty about using the water and do not have a fear of being stoned in by neighbours for using what the Lord has freely sent to us to be used in a responsible manner.

When we were up in Carleton, (about thirty miles from Tully and Cardwell) village where my husband had the position as Deputy Superintendent of Karella Hydro Power Station, thirty-two years ago. It happened to have been the wettest on record then and on the top of the dam wall which was holding back all the water, was an inflatable Type Tube, that had never been used before. To increase the level of the water storage, if required, and was an American invention.

So it so happened my husband had to ring America to find out the capacity, etc. That the tube could hold, then had it inflated to its full capacity to hold back the water, so as Tully wouldn't flood.

This was a success and Tully was saved the flooding of that year whilst we were living up there. When the rain stopped, the water was released slowly.

The tube on the dam wall is shown quite clearly in the photo copies that are enclosed of the village, Tully River and some of the wild life that we experienced whilst up there.

As you'd be aware Tully is the wettest part of Australia and I feel I can honestly say, whilst we were up there, Tully survived a flood but now

contd.  
of course have had time to contend with

I feel it's a shame those now controlling  
the Hoover Dam do not realize what it was built  
for originally.

To hold back the water and save downstream  
from flooding.

I might add, the Lord also doesn't charge to  
send the rain, the price was the Price of His  
Son for people's sin.

This government has legalized brothels and  
other sinful acts, so I can understand the Lord's  
rage at their acts.

No wonder we are all suffering.









Thanking you for looking into this dreadful  
situation and trusting that you consider the  
contents of this letter.

Yours faithfully,



(GAYE ELIZABETH STRANDBERG)

End.




# "THE POWER GAME"

Many skills are need  
to keep the power flow

new 275,000 volt circuit breakers at Bulwercombe sub-station, near Rockhampton, act as fast switches on the total interconnection between Central and North Queensland.

	<b>State Control Centre Brisbane</b>	14	High ash content in coal - less output. MISS 1 TURN	16	Kareeya Hydro-Station	18	19	20	Quality of coal improves. More output. TAKE EXTRA TURN	22	23	24		
	12	61	Increased generation in ADVANCE TO ROCKHAMPTON CONTROL CENTRE	62	64	65	66	68	70	72	74	76		
	Wet Winter Day in Brisbane. High peak load expected. MISS 1 TURN	59	100	101	Lightning strikes Blackall Alberta Tableland. MISS 1 TURN	103	Case Fire shorts out feeder to Mackay. Gas Turbine supplies power. TAKE EXTRA TURN	105	106	108	109	111	Lack of rain hydro general RETURN TO KAREEYAHYDRO-STATION	
	ADVANCE TO KAREEYAHYDRO-STATION	9	58	99	102	103	104	105	106	108	109	111	Generator shuts down for maintenance. RETURN TO CALLIDE POWER STATION. TAKE EXTRA TURN	
	Callide Power Station	8	56	97	103	104	105	106	108	109	112	114	115	
	Coal Train derailed at Blackwater. For repairs, RETURN TO START	6	Case Fire damages 132kV feeder at Ingham. RETURN TO TOWNSVILLE CONTROL	56	Vandals damage line to Redcliff and cause blackout. For repairs, MISS 1 TURN	97	103	104	105	106	108	111	112	113
	Wivenhoe Pump Storage Scheme	5	54	95	103	104	105	106	108	109	112	114	115	116
	101	52	Flood debris blocks cooling water inlet to power station. THROW FIVE BEFORE MOVING	92	93	94	95	96	97	98	99	100	101	102
	91	50	New 110kV Feeder to Dalby means more power for farms. TAKE EXTRA TURN	89	90	91	92	93	94	95	96	97	98	99
	Mildura Ridge Gas Turbines	48	91	92	93	94	95	96	97	98	99	100	101	102
	South Pine Sub-Station	46	93	94	95	96	97	98	99	100	101	102	103	104
	Baron Hydro-Station	45	94	95	96	97	98	99	100	101	102	103	104	105
	New 275kV interconnector at Nebel. More power to North QLD. TAKE EXTRA TURN	87	86	85	84	83	82	81	80	79	78	77	76	75
	Very cold morning. For extra generation, THROW 6 BEFORE MOVING	43	42	41	40	39	38	37	36	35	34	33	32	31
<b>START</b>		48	47	46	45	44	43	42	41	40	39	38	37	36
<b>RULES</b>	<b>ELECTRICITY GENERATION</b>													
1. You must throw a 6 before leaving start. 2. If you throw a 6 have a second turn. 3. You must throw the exact number to finish.	1. Electricity cannot be stored in large quantities as can water. Enough generating plant must always be in service to meet the needs of consumers.  TO REMOVE COUNTERS: Cut out from board.													
	2. The speed of the generators must always be kept constant - 3000 revolutions per minute for steam turbines. When there is a sudden demand for extra power the generators slow down momentarily until more steam is supplied from the boilers to increase their speed to normal. 3. Occasionally an excessive demand for power beyond the capacity of the generators available (as may occur on a chill winter evening) will cause a serious reduction in speed (system frequency) and may endanger the security and safety of the whole system, in which case it may be necessary to reduce demand by load shedding (blackouts).													
	4. The voltage of the electricity supply must be kept constant. If the voltage falls, lights will go dim. Automatic adjustment of supply transformers and generators helps maintain constant voltage. Capacitor banks are switched in to raise voltage levels. 5. All generating plant requires shutting down regularly for maintenance. There must always be spare generators available to take over the task of supplying the customer's needs for electrical energy.													
	<b>FROM THE ENERGY PEOPLE AT THE QUEENSLAND ELECTRICITY GENERATING BOARD</b>													



TO MAKE SPIN DICE:  
Cut out circular section and insert match or toothpick. If you prefer,

## ELECTRICITY GENERATION

1. Electricity cannot be stored in large quantities as can water. Enough generating plant must always be in service to meet the needs of consumers.

TO REMOVE COUNTERS:  
Cut out from board.



2. The speed of the generators must always be kept constant - 3000 revolutions per minute for steam turbines. When there is a sudden demand for extra power the generators slow down momentarily until more steam is supplied from the boilers to increase their speed to normal.

3. Occasionally an excessive demand for power beyond the capacity of the generators available (as may occur on a chill winter evening) will cause a serious reduction in speed (system frequency) and may endanger the security and safety of the whole system, in which case it may be necessary to reduce demand by load shedding (blackouts).

4. The voltage of the electricity supply must be kept constant. If the voltage falls, lights will go dim. Automatic adjustment of supply transformers and generators helps maintain constant voltage. Capacitor banks are switched in to raise voltage levels.

5. All generating plant requires shutting down regularly for maintenance. There must always be spare generators available to take over the task of supplying the customer's needs for electrical energy.

**FROM THE ENERGY**

**PEOPLE AT THE**

**QUEENSLAND**

**ELECTRICITY**

**GENERATING BOA**

